

## Author Index of Vol. 145

---

- Ankem, S., 47, 55  
Atherton, D. L., 233
- Bartoš, J., L19  
Batt, T. J., 37  
Blum, W., 13  
Boyd, J. D., 233
- Cao, W. D., 1  
Case, E. D., L7  
Chang, W. S., 113  
Chaturvedi, M. C., 205  
Chen, S., 113  
Clapham, L., 233  
Coates, R. S., 159  
Čochňář, Z., L19  
Conrad, H., 1  
Corrias, A., 123  
Crowe, C. R., 257
- Donoso, E., 95
- Elices, M., 167  
Ennas, G., 123
- Feller, H.-G., L23  
Feng, C. R., 257  
Friedman, S., 243
- Goel, N. C., 205  
Gray, G. T. III, 21  
Gronert, H. W., 119  
Gungor, M. N., 37
- Herlach, D. M., 119  
Hessler, W., L1  
Hsueh, C.-H., 135, 143  
Huang, J. C., 21
- Ilshner, B., 151  
Inal, O. T., 65
- Jagadish, C., 233  
Jain, M., 205
- Kandra, J. T., 189  
Kim, Y., L7  
Kunz, L., L1, L19  
Kunzi, H.-U., 151
- Laabs, F. C., 179  
Lancha, A. M., 167  
Lawley, A., 243  
Lee, J. Y., 189  
Lee, W.-J., L7  
Lee, Y. S., 37  
Liaw, P. K., 37  
Licheri, G., 123  
Lu, X. P., 1  
Lukáš, P., L1, L19
- Malysenko, A. A., 127  
Marongiu, G., 123  
Matsumoto, H., 215  
McCartney, D. G., 223  
Messner, A., 13  
Metin, E. S., 65  
Michel, D. J., 257  
Milman, Yu. V., 127  
Miyamoto, Y., 215  
Murakami, K., 215  
Murty, Y. V., 243
- Neti, S., 47, 55
- Okamoto, T., 215
- Pan, S. V., 127  
Paschina, G., 123  
Pharr, G. M., L13  
Pope, D. P., 79, 189
- Radhakrishnan, V. M., L27  
Raj, S. V., L13  
Ramesh, K. T., 159  
Richards, N. L., 205
- Sacré, S., L23  
Savransky, S. D., 109  
Shen, P., 113  
Singh, R. P., 243  
Smith, M. A., 79  
Spitzig, W. A., 179  
Sprecher, A. F., 1  
Stickler, R., L1
- Thomas, L. K., L23  
Toribio, J., 167  
Trybus, C. L., 179
- Varschavsky, A., 95  
Vijayshankar, M. N., 47, 55  
Vogler, S., 13
- Wang, S.-C., 87  
Wassermann, E. F., 119  
Weiss, B., L1  
Welzel, S., 119  
White, J., 1  
Whittenberger, J. D., L13  
Wienstroth, U., L23  
Wiesner, C., 151  
Wills, V. A., 223  
Wilner, B., 199

## Subject Index of Vol. 145

### Alloys

- a comparative study of solidification features in nickel-base superalloys: microstructural evolution and micro-segregation, 223
- deposition of amorphous layers of an Fe-B-Si alloy by low pressure plasma spraying, 215
- cyclic stress-strain curve of single crystals of a Cu-22%Zn alloy, L19
- microstructure and properties of spray cast Cu-Zr alloys, 243
- short-range ordering by excess and thermal vacancies during linear heating experiments in  $\alpha$ -Cu-Al alloys, 95
- the rate-dependent deformation of a tungsten heavy alloy, 159

### Aluminium

- characterization of the topography of turned surfaces and its influence on the fatigue life of Al-7075, 151
- formation of Fe-Al<sub>2</sub>O<sub>3</sub> interfaces by hot pressing, 79
- influence of repeated shock loading on the substructure evolution of 99.99 wt.% aluminum, 21
- influence of the oxide morphology on the oxidation resistance of an Ni-Co-Cr-Al-Y coating material, L23
- microstructural characteristics in a phase during superplastic deformation of Ti-6Al-4V, 205
- microstructural characteristics of two-phase titanium aluminides, 257
- phase equilibria of zirconia-dispersed ceramic in NiO-Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> system, 113
- short-range ordering by excess and thermal vacancies during linear heating experiments in  $\alpha$ -Cu-Al alloys, 95

### Amorphous layers

- deposition of amorphous layers of an Fe-B-Si alloy by low pressure plasma spraying, 215

### Bonding

- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
  - III: With residual radial and axial stresses, 135
- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
  - IV: Sliding due to residual stresses, 143

### Boron

- deposition of amorphous layers of an Fe-B-Si alloy by low pressure plasma spraying, 215
- mechanical alloying of cobalt and boron powders, 123

### Bulk moduli

- on the bulk modulus of particulate composites, 199

### Carbon

- the effect of titanium and nitrogen contents on the microstructure and mechanical properties of plain carbon steels, 87

### Ceramics

- phase equilibria of zirconia-dispersed ceramic in NiO-Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> system, 113
- the measurement of the surface heat transfer coefficient for ceramics quenched into a water bath, L7

### Chromium

- creep behaviour of service exposed Cr-Mo steels, L27
- influence of the oxide morphology on the oxidation resistance of an Ni-Co-Cr-Al-Y coating material, L23

### Cobalt

- influence of the oxide morphology on the oxidation resistance of an Ni-Co-Cr-Al-Y coating material, L23
- mechanical alloying of cobalt and boron powders, 123

### Composites

- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
  - III: With residual radial and axial stresses, 135
- interfacial debonding and fiber pull-out stresses of fiber-reinforced composites
  - IV: Sliding due to residual stresses, 143
- on the bulk modulus of particulate composites, 199
- semi-empirical investigation of thermal expansion behavior of components in a two-phase particle-reinforced metal matrix composite, 37

### Controlled rolling

- the influence of controlled rolling on the pulse height distribution of magnetic Barkhausen noise in steel, 233

### Copper

- effect of electric current pulses on fatigue characteristics of polycrystalline copper, 1
- effect of start-up procedure on the cyclic stress-strain behaviour of polycrystalline copper, L1
- cyclic stress-strain curve of single crystals of a Cu-22%Zn alloy, L19
- microstructure and properties of spray cast Cu-Zr alloys, 243
- short-range ordering by excess and thermal vacancies during linear heating experiments in  $\alpha$ -Cu-Al alloys, 95

### Creep

- comments on the paper "Does the subgrain size influence the rate of creep?", L13
- creep behaviour of service exposed Cr-Mo steels, L27
- does the subgrain size influence the rate of creep?, 13

### Deformation

- deformation of single-crystal Mn<sub>3</sub>Sn, 189
- finite element method modeling of deformation behavior of two-phase materials
  - Part I: stress-strain relations, 47
- finite element method modeling of deformation behavior of two-phase materials
  - Part II: stress and strain distributions, 55
- microstructural characteristics in a phase during superplastic deformation of Ti-6Al-4V, 205
- the rate-dependent deformation of a tungsten heavy alloy, 159

### Deposition

- deposition of amorphous layers of an Fe-B-Si alloy by low pressure plasma spraying, 215

### Dispersion

- phase equilibria of zirconia-dispersed ceramic in NiO-Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> system, 113

- Electric current pulses  
effect of electric current pulses on fatigue characteristics of polycrystalline copper, 1
- Fatigue  
characterization of the topography of turned surfaces and its influence on the fatigue life of Al-7075, 151  
effect of electric current pulses on fatigue characteristics of polycrystalline copper, 1
- Fiber-reinforcement  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
III: With residual radial and axial stresses, 135  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
IV: Sliding due to residual stresses, 143
- Fibres  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
III: With residual radial and axial stresses, 135  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
IV: Sliding due to residual stresses, 143
- Finite element method  
finite element method modeling of deformation behavior of two-phase materials  
Part I: stress-strain relations, 47  
finite element method modeling of deformation behavior of two-phase materials  
Part II: stress and strain distributions, 55
- Fracture  
macroscopic variables governing the microscopic fracture of pearlitic steels, 167
- Glass  
influence of the preparation conditions on the thermal conductivity in metallic glasses, 119  
segregation effects as a possible mechanism for strengthening in metallic glasses, 127  
superconductivity in glassy Ag-Si-Te: experiments *versus* theories, 109
- Hot pressing  
formation of Fe-Al<sub>2</sub>O<sub>3</sub> interfaces by hot pressing, 79
- Interfaces  
formation of Fe-Al<sub>2</sub>O<sub>3</sub> interfaces by hot pressing, 79  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
III: With residual radial and axial stresses, 135  
interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
IV: Sliding due to residual stresses, 143
- Ion  
formation of Fe-Al<sub>2</sub>O<sub>3</sub> interfaces by hot pressing, 79
- Ion-nitriding  
microstructural and microhardness evaluations in ion nitrided titanium, 65
- Iron  
deposition of amorphous layers of an Fe-B-Si alloy by low pressure plasma spraying, 215
- Magnetic Barkhausen noise  
the influence of controlled rolling on the pulse height distribution of magnetic Barkhausen noise in steel, 233
- Manganese  
deformation of single-crystal Mn<sub>3</sub>Sn, 189
- Metal matrix composites  
semi-empirical investigation of thermal expansion behavior of components in a two-phase particle-reinforced metal matrix composite, 37
- Metals  
influence of the preparation conditions on the thermal conductivity in metallic glasses, 119  
segregation effects as a possible mechanism for strengthening in metallic glasses, 127  
semi-empirical investigation of thermal expansion behavior of components in a two-phase particle-reinforced metal matrix composite, 37
- Microhardness  
microstructural and microhardness evaluations in ion nitrided titanium, 65
- Microstructure  
microstructural and microhardness evaluations in ion nitrided titanium, 65  
the effect of titanium and nitrogen contents on the microstructure and mechanical properties of plain carbon steels, 87
- Molybdenum  
creep behaviour of service exposed Cr-Mo steels, L27
- Nickel  
a comparative study of solidification features in nickel-base superalloys: microstructural evolution and microsegregation, 223  
influence of the oxide morphology on the oxidation resistance of an Ni-Co-Cr-Al-Y coating material, L23
- Niobium  
structure properties of heavily cold-drawn niobium, 179
- Nitrogen  
microstructural and microhardness evaluations in ion nitrided titanium, 65  
phase equilibria of zircon-dispersed ceramic in NiO-Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> system, 113  
the effect of titanium and nitrogen contents on the microstructure and mechanical properties of plain carbon steels, 87
- Ordering  
short-range ordering by excess and thermal vacancies during linear heating experiments in  $\alpha$ -Cu-Al alloys, 95
- Oxygen  
formation of Fe-Al<sub>2</sub>O<sub>3</sub> interfaces by hot pressing, 79  
influence of the oxide morphology on the oxidation resistance of an Ni-Co-Cr-Al-Y coating material, L23  
phase equilibria of zirconia-dispersed ceramic in NiO-Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> system, 113
- Particulates  
on the bulk modulus of particulate composites, 199
- Pearlitic steels  
macroscopic variables governing the microscopic fracture of pearlitic steels, 167
- Plasma spraying  
deposition of amorphous layers of an Fe-B-Si alloy by low pressure plasma spraying, 215



- Polycrystals**  
 effect of electric current pulses on fatigue characteristics of polycrystalline copper, 1  
 effect of start-up procedure on the cyclic stress-strain behaviour of polycrystalline copper, L1
- Powders**  
 mechanical alloying of cobalt and boron powders, 123
- Pulse height distribution**  
 the influence of controlled rolling on the pulse height distribution of magnetic Barkhausen noise in steel, 233
- Segregation**  
 segregation effects as a possible mechanism for strengthening in metallic glasses, 127
- Shock loading**  
 influence of repeated shock loading on the substructure evolution of 99.99 wt.% aluminum, 21
- Silicon**  
 superconductivity in glassy Ag-Si-Te: experiments *versus* theories, 109
- Silver**  
 superconductivity in glassy Ag-Si-Te: experiments *versus* theories, 109
- Single crystals**  
 deformation of single-crystal  $Mn_3Sn$ , 189  
 cyclic stress-strain curve of single crystals of a Cu-22%Zn alloy, L19
- Solidification**  
 a comparative study of solidification features in nickel-base superalloys: microstructural evolution and microsegregation, 223
- Spray casting**  
 microstructure and properties of spray cast Cu-Zr alloys, 243
- Steels**  
 creep behaviour of service exposed Cr-Mo steels, L27  
 macroscopic variables governing the microscopic fracture of pearlitic steels, 167  
 the effect of titanium and nitrogen contents on the microstructure and mechanical properties of plain carbon steels, 87  
 the influence of controlled rolling on the pulse height distribution of magnetic Barkhausen noise in steel, 233
- Strain**  
 finite element method modeling of deformation behavior of two-phase materials  
   Part I: stress-strain relations, 47  
 finite element method modeling of deformation behavior of two-phase materials  
   Part II: stress and strain distributions, 55  
 effect of start-up procedure on the cyclic stress-strain behaviour of polycrystalline copper, 501  
 cyclic stress-strain curve of single crystals of a Cu-22%Zn alloy, L19
- Stress**  
 finite element method modeling of deformation behavior of two-phase materials  
   Part I: stress-strain relations, 47  
 finite element method modeling of deformation behavior of two-phase materials  
   Part II: stress and strain distributions, 55  
 interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
   III: With residual radial and axial stresses, 135  
 interfacial debonding and fiber pull-out stresses of fiber-reinforced composites  
   IV: Sliding due to residual stresses, 143  
 effect of start-up procedure on the cyclic stress-strain behaviour of polycrystalline copper, L1  
 cyclic stress-strain curve of single crystals of a Cu-22%Zn alloy, L19
- Structure**  
 structure properties of heavily cold-drawn niobium, 179
- Subgrain**  
 comments on the paper "Does the subgrain size influence the rate of creep?", L13
- Subgrains**  
 does the subgrain size influence the rate of creep?, 13
- Substructure**  
 influence of repeated shock loading on the substructure evolution of 99.99 wt.% aluminum, 21
- Superconductors**  
 superconductivity in glassy Ag-Si-Te: experiments *versus* theories, 109
- Superplastics**  
 microstructural characteristics in a phase during superplastic deformation of Ti-6Al-4V, 205
- Surface heat transfer coefficient**  
 the measurement of the surface heat transfer coefficient for ceramics quenched into a water bath, L7
- Surface topography**  
 characterization of the topography of turned surfaces and its influence on the fatigue life of Al-7075, 151
- Tellurium**  
 superconductivity in glassy Ag-Si-Te: experiments *versus* theories, 109
- Thermal conductivity**  
 influence of the preparation conditions on the thermal conductivity in metallic glasses, 119
- Thermal expansion**  
 semi-empirical investigation of thermal expansion behavior of components in a two-phase particle-reinforced metal matrix composite, 37
- Thermal vacancies**  
 short-range ordering by excess and thermal vacancies during linear heating experiments in  $\alpha$ -Cu-Al alloys, 95
- Tin**  
 deformation of single-crystal  $Mn_3Sn$ , 189
- Titanium**  
 microstructural and microhardness evaluations in ion nitrided titanium, 65  
 microstructural characteristics in a phase during superplastic deformation of Ti-6Al-4V, 205  
 microstructural characteristics of two-phase titanium aluminides, 257  
 the effect of titanium and nitrogen contents on the microstructure and mechanical properties of plain carbon steels, 87
- Tungsten**  
 the rate-dependent deformation of a tungsten heavy alloy, 159
- Two-phase particles**  
 semi-empirical investigation of thermal expansion behavior of components in a two-phase particle-reinforced metal matrix composite, 37

**Vanadium**

microstructural characteristics in a phase during superplastic deformation of Ti-6Al-4V, 205

**Yttrium**

influence of the oxide morphology on the oxidation resistance of an Ni-Co-Cr-Al-Y coating material, 523

**Zinc**

cyclic stress-strain curve of single crystals of a Cu-22%Zn alloy, 519

**Zirconium**

microstructure and properties of spray cast Cu-Zr alloys, 243

phase equilibria of zirconia-dispersed ceramic in NiO-Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> system, 113

